



doi:10.3978/j.issn.1005-6947.2015.05.025  
http://dx.doi.org/10.3978/j.issn.1005-6947.2015.05.025  
Chinese Journal of General Surgery, 2015, 24(5):743-746

245000

	cN <sub>0</sub>		83	cN <sub>0</sub>
	2010 1	2014 6		
83 cN <sub>0</sub>			83	48.2%
cN <sub>0</sub>				<i>P</i> < 0.05
/				
R736.1				
carcinoma PTC	papillary thyroid		83 cN <sub>0</sub> PTC	13 15.7%
	80% <sup>[1-2]</sup>		70 84.3%	1:5.4 18-70
			41.7 < 45	45 54.2% 45
			38 45.8% cN <sub>0</sub>	<sup>[4]</sup>
				< 2 cm
				< 1 cm
				1~2 cm
[3-4]				
cN <sub>0</sub>				
[5]	2010 1	2014 6	1.2	
83 cN <sub>0</sub>				PTC 73
cN <sub>0</sub>			cN <sub>0</sub> PTC	
				+
			central lymph node dissection	CLND
1			42	+
			CLND 10	cN <sub>0</sub> PTC
1.1			+ CLND	
	2010 1	2014 6	PTC	TSH
			1.3	
	2014 08-20	2014 11-07	2014 7	30 2~54
			1.4	
				SPSS 18.0
	Email: 1975hxc@sina.com			

VI  
<sup>2</sup> P<0.05  
 2.4  
 3 3.6%  
 II III IV V  
 1 1.2% PTC  
 2  
 2.1  
 73 91.3%  
 13 15.7% 10 12.0%  
 15 18.1% 4 cm 9  
 10.8% 7 8.4%  
 10 12.0%  
 1 1.2% 40 48.2% VI  
 2.2 VI  
 83 VI  
 VI  
 P>0.05 1

1				<sup>2</sup>	P
		%			
10	3	76.9	5.1	<0.05	
30	40	42.9			
45	20	44.4	5.94	<0.05	
45	27	71.1			
24	36	40	5.85	<0.05	
10	3	76.9			
34	39	46.6	0.21	>0.05	
6	4	60			
13	2	86.7	10.85	<0.01	
27	41	39.7			
4	32	43.2	4.99	<0.05	
4	8	88.9			

2.3  
 23 27.7%  
 4.8% 1 1.2%  
 D<sub>3</sub>  
 1 4

2.4  
 3 3.6%  
 II III IV V  
 1 1.2% PTC  
 3  
 3.1 PTC  
 20  
 2012  
 PTC  
 PTC  
 2009  
 American Thyroid Association ATA  
 <1 cm PTC  
 [2] 2012  
 4 cm  
 + [6]  
 42 +  
 1~3  
 PTC  
 3.2 CLND  
 CLND  
 CLND  
 cN<sub>0</sub> PTC  
 PTC  
 [7]  
 CLND  
 [8]  
 VI

VI  
 [9-10], cN<sub>0</sub> PTC  
 , 50%~60%,  
 [11-12]

VI  
 [13-15]

VI  
 CLND  
 cN<sub>0</sub>

cN<sub>0</sub> PTC  
 PTC  
 48.2%

VI  
 VI  
 VI

CLND

cN<sub>0</sub>

3.3 CLND

CLND

TNM

[1] Jemal A, Siegel R, Xu J, et al. Cancer statistics, 2010[J]. CA Cancer J Clin, 2010, 60(5):277-300

[2] American Thyroid Association (ATA) Guidelines Taskforce on Thyroid Nodules and Differentiated Thyroid Cancer1, Cooper DS, Doherty GM, et al. A Revised American Thyroid Association management guidelines for patients with thyroid nodules and differentiated thyroid cancer[J]. Thyroid, 2009, 19(11):1167-1264

[3] Rajeev P, Ahmed S, Ezzat TM, et al. The number of positive lymph nodes in the central compartment has prognostic impact in papillary thyroid cancer[J]. Langenbecks Arch Surg, 2013, 398(3):377-382

[4] Leboulleux S, Girard E, Rose M, et al. Ultrasound criteria of malignancy for cervical lymph nodes in patients followed up for differentiated thyroid cancer[J]. J Clin Endocrinol Metab, 2007, 92(9):3590-3594

[5] , , . cN<sub>0</sub> [J]. , 2014, 29(3):195-198

[6] . [J]. , 2012, 39(17):1249-1272

[7] Kefeli M, Akpolat I, Yildirim A, et al. Morphometric analysis in cytologic evaluation of papillary thyroid carcinoma[J]. Anal Quant Cytol Histol, 2010, 32(4): 234-238

[8] , , . Meta [J]. , 2013, 22(5):608-612

[9] Zhang L, Wei WJ, Ji QH, et al. Risk factors for neck nodal metastasis in papillary thyroid microcarcinoma: a study of 1066 patients[J]. J Clin Endocrinol Metab, 2012, 97(4):1250-1257

[10] , . ( 572 ) [J]. , 2008, 28(5):365-367.

[11] , , , . cN<sub>0</sub>

[16]

[17]

doi: 10.3760/cjgs1811-1104-20191119-0005  
http://dx.doi.org/10.3760/cjgs1811-1104-20191119-0005  
Chinese Journal of General Surgery, 2019, 18(11): 1104-1107



— : 1104

1104

2

1104-1107

“ > ” : 1104  
1104  
1104  
1104  
1104  
YZ @ 1104  
Y 1104

1104  
1104  
> | 1104

b/kKUž 1104

1104

1104

EFUUNBJMIVBYVFRJODPN

1104

X 1104

1104

Bp 1104

1104

E 5 1104 - M 3X U • s f 1104

D7%[] Y 1104 , ( ):-

[1] Sugitani I, Fujimoto Y, Yamada K, et al. Prospective outcomes of selective lymph node dissection for papillary thyroid carcinoma based on preoperative ultrasonography[J]. World J Surg, 2019, 43(1): 1104-1110.

[2] Zetoune T, Keutgen X, Buitrago D, et al. Prophylactic central neck dissection and local recurrence in papillary thyroid cancer: a meta-analysis[J]. Ann Surg Oncol, 2019, 26(4): 1104-1110.

[3] So YK, Son YI, Hong SD, et al. Subclinical lymph node metastasis in papillary thyroid microcarcinoma: a study of resections[J]. Surgery, 2019, 165(5): 1104-1109.

[4] 1104 Y 1104 ( ):-

[1] Glover AR, Gundara JS, Norlén O, 1104 . MKSYZf 1104 Y)EFB. 1104 ():-

[2] 1104 Y)EFB. 1104 ():-

UXB DICE

XA 1104 1104 6 1104  
Y)EFB. 1104  
():- . doi: /j.issn.-...  
Cite this article as: HU XC, WU WM, HU Y. Clinical significance of central lymph node dissection for papillary thyroid carcinoma (cN)[J]. Chin J Gen Surg, 2019, 18(11): 1104-1107. doi: 10.3760/cjgs1811-1104-20191119-0005 / j.issn.-...