



doi:10.3978/j.issn.1005-6947.2015.05.028  
http://dx.doi.org/10.3978/j.issn.1005-6947.2015.05.028  
Chinese Journal of General Surgery, 2015, 24(5):753-756

321400

2003 7 —2011 11 420 210

$P < 0.05$  2.38% vs. 7.14%  
5.71% vs. 16.67%  $P < 0.05$  1.90% vs.  
9.52%  $P < 0.05$

R653.2

5%  
[1-2]

1%

1

1.1

2003 7 —2011 11

420

78

342

1:4.4

18~71

49±

9.5

18~71

1.8%~35.3%

6.9%~46.0%<sup>[3-4]</sup>

2008 6

210

2009 1

210

420

PTH

$P > 0.05$

B

CT

1

1.2

2014 07-11

2014 11-07

Email: livenyuan01@126.com

128  
 118  
 62

112  
 +

+

80%

1 n=210  
**Table 1 Comparison of the general data between the two groups of patients (n=210)**

	[n %]				PTH	
	pg/mL	mmol/L				
	38 18.10	108 51.43	20 9.52	44 21.00	45.87± 15.67	2.39± 0.58
	35 16.67	96 45.71	30 14.29	49 23.33	44.56± 16.35	2.37± 0.66
t/ <sup>2</sup>	0.149	1.373	2.270	0.229	0.167	0.104
P	0.699	0.241	0.132	0.864	0.708	0.846

1.3  
 PTH  
 12~88 pg/mL  
 2.1~2.6 mmol/L

16.67% 35/210  
 2.38% 5/210  
 5.71% 12/210

P<0.05

1 2 [n=210, n %]  
**Table 2 Comparison of the postoperative conditions between the two groups of patients [n=210, n (%)]**

	PTH pg/mL				mmol/L			
	12-88	<12	21-26	<21				
	195 92.86	15 7.14	175 83.33	35 16.67				
	205 97.62	5 2.38	198 94.29	12 5.71				
<sup>2</sup>	5.238		12.674					
P	0.022		0.001					

1.4  
 SPSS 19.0  
<sup>2</sup> P<0.05

2  
 2.2  
 2.1 PTH  
 420 PTH  
 PTH  
 39.32± 11.54 pg/mL 2.21± 0.48 pg/mL  
 PTH  
 37.78± 9.66 pg/mL 2.16± 0.287 pg/mL  
 PTH  
 2 1 PTH  
 20 9.52%  
<sup>2</sup>=15.541 P<0.05

7.14% 15/210

3

PHT

7.14% 15/210 16.67%

35/210

X CT MRI

[5]

[3]

PTH

[6-7]

[8-9]

46%

PTH

420

15.24% 64/420

24 5.71%

[1] , , . [J]. , 2013, 23(25):97-99.

[2] , , , . survivin VEGF [J]. , 2011, 21(10):1158-1160.

[3] , , , . [J]. , 2010, 4(2):113-116.

[4] Johner A, Griffith OL, Walker B, et al. Detection and management of hypothyroidism following thyroid lobectomy: evaluation of a clinical algorithm[J]. Ann Surg Oncol, 2011, 18(9):2548-2554.

[5] . [J]. , 2013, 30(2):292-294.

[6] Miyauchi A, Kudo T, Miya A, et al. Prognostic impact of serum thyroglobulin doubling-time under thyrotropin suppression in patients with papillary thyroid carcinoma who underwent total thyroidectomy[J]. Thyroid, 2011, 21(7):707-716.

[7] Tuttle RM, Tala H, Shah J, et al. Estimating risk of recurrence in differentiated thyroid cancer after total thyroidectomy and radioactive iodine remnant ablation: using response to therapy variables to modify the initial risk estimates predicted by the new American Thyroid Association staging system[J]. Thyroid, 2010, 20(12):1341-1349.

[8] Calò PG, Erdas E, Medas F, et al. Late Bleeding after Total Thyroidectomy: Report of Two cases occurring 13 Days after Operation[J]. Clin Med Insights Case Rep, 2013, 6:165-170.

[9] Shindo M, Stern A. Total thyroidectomy with and without selective central compartment dissection: a comparison of complication rates[J]. Arch Otolaryngol Head Neck Surg, 2010, 136(6):584-587.

[10-11]

PTH

39.32± 11.54 pg/mL 2.21± 0.48 pg/mL



doi: /j.issn-... http://dx.doi.org/ /j.issn-... Chinese Journal of General Surgery, ( ): -



...> ... P ... t ... P ... t ... P ...

\*w [ Y d ... E . ... EF dEL ... EL ...

µ\QFù <> •T \*w [ Y D JE . ... PMK ... Mtk ... \*w [ Y jL ...

b/kkE ieu UqkZgE EB.LZ@ EFINBJMZBPZPOHIOHDPN

[] P OS, Df 0 ... [YAJ]. YZMB, ( ): . [] Popadich A, Levin O, Lee JC, et al. A multicenter cohort study of total thyroidectomy and routine central lymph node dissection for cN papillary thyroid cancer[J]. Surgery, , ():- .

XªTh ... Y)EFB.ý, ( ):- . doi: / j.issn-... Cite this article as: LI WY. Intraoperative identification and in situ protection of parathyroid glands during total thyroidectomy[J]. Chin J Gen Surg, ( ): - . doi: . / j.issn-...