



doi:10.3978/j.issn.1005-6947.2015.07.025  
http://dx.doi.org/10.3978/j.issn.1005-6947.2015.07.025  
Chinese Journal of General Surgery, 2015, 24(7):1050-1053.

556000

2008 3 2014 5 100  
50  
50  
 $P < 0.05$   
 $P < 0.05$   
 $P < 0.01$   
 $P < 0.01$   
1 7  
 $P < 0.01$   
92.00% vs. 70.00%  
98.00% vs. 90.00%,  $P < 0.05$   
8.00% vs. 40.00%  $P < 0.01$

/  
R657.3

1  
[1] 1.1  
2008 3 — 2014 5 100

[2-3]

50 20~75 5.06±  
100 3.18 12  
17 21 39  
42 50 22~74  
5.17± 3.14  
11 16 23  
38 40

2015-05-01

2015-06-14

$P > 0.05$

1

Email: zykaili@163.com

1		n=50		n=50		<sup>2</sup>	P
		42.68± 7.23		43.51± 6.59		0.5999	0.5499
/		19/31		17/33		0.1736	0.6769
		5.06± 3.18		5.17± 3.14		0.1740	0.8622
	[n % ]	12 24.00		11 22.00		0.0565	0.8122
		17 34.00		16 32.00		0.0452	0.8316
		21 42.00		23 46.00		0.1623	0.6870
	[n % ]	39 78.00		38 76.00		0.0565	0.8122
		42 84.00		40 80.00		0.2710	0.6027

1.4

[4]

1.5

SPSS 18.0

±

$\bar{x} \pm s$

t

1.2

<sup>2</sup>

P<0.05

0.5 cm

2

2.1

P<0.01

2

t=12.3368 P<0.01

1.3

7

P<0.05

92.00% vs.

70.00% P<0.05

2

2

n=50  $\bar{x} \pm s$

	min	mL	[n % ]	[n % ]	d
	325.40± 41.78	531.72± 75.26	1 2.00	46 92.00	13.37± 2.04
	249.67± 50.31	712.45± 71.18	7 14.00	35 70.00	20.35± 3.89
<sup>2</sup> t	8.1884	12.3368	4.8913	7.8622	11.2365
P	<0.01	<0.01	<0.05	<0.01	<0.01

2.2

<sup>2</sup>=14.0351 P=0.0002

4

98.00% vs. 90.00%

<sup>2</sup>=2.1574 P=0.0310

3

3

[n=50 n (% )]

2.3

	42 84.00	7 14.00	1 2.00	49 98.00
	33 66.00	12 24.00	5 10.00	45 90.00
<sup>2</sup>				2.1574
P				0.0310

8.00% vs. 40.00%

4

[n=50 n (% )]

	0 0.00	1 2.00	2 4.00	0 0.00	1 2.00	4 8.00
	3 6.00	2 4.00	8 16.00	3 6.00	4 8.00	20 40.00
<sup>2</sup>	3.0928	0.3436	4.0000	3.0928	1.8947	14.0351
P	0.0786	0.5577	0.0455	0.0786	0.1687	0.0002

3

1

7

[5]

8.00% 40.00%

[14- 15]

[6]

92.00% 70.00%

[7]

98.00%  
90.00%

[8- 9]

[1] , , , .  
[J]. , 2011, 31(6):949-954

[10]

[2] ] , , , . MI-3DVS  
[J]. , 2011,  
31(10):1669-1674

[3] Frei P, Misselwitz B, Prakash MK, et al. Late biliary complications  
in human alveolar echinococcosis are associated with high  
mortality[J]. World J Gastroenterol, 2014, 20(19):5881-5888

[11]

[4] , , , .  
[J]. , 2011, 34(11):844-847.

[5] , , , .  
[J]. , 2012, 21(2):127-131.

[6] , , .  
[J]. , 2013, 33(20):5172-5173

[12- 13]

100

[7] Suzuki Y, Mori T, Yokoyama M, et al. Hepatolithiasis: analysis  
of Japanese nationwide surveys over a period of 40 years[J]. J  
Hepatobiliary Pancreat Sci, 2014, 21(9):617-622

[8] , , , .  
[J]. , 2011, 17(6):650-652

[9] , , , .  
[J]. ,

