

CCC

CCC

CCC

57.8% [4],

CCC

CCC

3

MRCP

3

参考文献

[1] , . [J]. , 2011, 20(2):176-179

[2] , . [J]. , 2008, 16(3):205-206

[3] , , . [J]. , 2004, 11(6):1148-1149

[4] Todani T, Watanabe Y, Toki, et al. Carcinoma related to choledochal cysts with internal drainage operations[J]. Surg Gynecol Obstet, 1987, 164(1):61-64

(本文编辑 姜晖)



doi:10.3978/j.issn.1005-6947.2015.08.034
<http://dx.doi.org/10.3978/j.issn.1005-6947.2015.08.034>
 Chinese Journal of General Surgery, 2015, 24(8):1211-1212.

· 病案报告 ·

三阴性乳腺癌术后对侧转移 1 例

王增燕, 吴雄, 杨乐艺, 方艺聪

(福建医科大学附属漳州市医院 普通外科, 福建 漳州 363000)

关键词

中图分类号: R737.9

患者 51 2014 1 ER - PR - HER-2 + HER-2/neu [1]
 “ AT” 2 HER-2/neu 0 +
 “ ” 2014 3 “ AT”
 II 4 2014
 3 cm× 2 cm× 2 cm 12
 收稿日期: 2015-03-11
 修订日期: 2015-04-24
 作者简介: 19/24
 5.0 cm× 4.5 cm× 2.0 cm
 ER
 - PR - HER-2 +
 通信作者: Email: wzyjane@ 2006 12 11 BI-RADS-4B
 126.com 56 mm× 45 mm× 23 mm

66z 37E: 66
x 16/10/17[:n
) 27Ej. 0 16" #CS(0x
** 0 6383y
37E
) 8 - UCB:;) 10 DTSU
IF K 0 0 0 3 5
i 16: j B 16 A, 0
4 4(16
t 16 S B 16 A VK K 3
16 16 16 16 BT 16 16 16 16 D
is 16 16 S 7 d 16

SC 0 0 M 6 3 6
Y f C x 16 7'
4K 3 0 16 e 16 16
16: 16 16 16
16 16 (0 16 * 16 S ;
DNf DNf DN 16 B 16 A 16
6 16 16 16 16 S 16 S 16 P 16 S 16
S 16 16 16 16 16
16 16 16 16 16 16 16 16
D 7 16 16 16 16 16 16 16
16 16 y 16 16 16 16 16
16 16 16 16 - 16

16 16

16 16 16 16 S 16 16 16 16 16 16
OFHBWVWFCSFBTDBODFS 16 16
, 16 16 16 16 16
16 16 y 16 16 16 16 16
16 16 16 16 16 16 16 16
16 16 16 16 16 16 16 16
16 16 16 16 16 16 16 16
16 16 16 16 16 16 16 16
16 16 16 16 16 16 16 16
) & - 16 16 f K'S 16 16 S 16 16
16 16 16 16 16 16 16 16
16 16 16 16 S 16 16 16 16
16 16 16 16 16 16 16 16
D 7 (P " 16 16 16
16 16 16 16 16 16
M: D 16 16 16 16
16 16 16 16 S 16 16 16 16
16 16 16 16 16 16 16 16
16 16 16 16 16 16 16 16
0 16 16 16 16 16
, \$ 16 16 16 16 16 16 16 16
16 16 16 16 16 16 16 16
KE i ± 16 16 16 16 S 16 16
x 16 16 16 16 U
: 16 16 S 16 16 16 D 16 16 16 16

16: uU 16 P 16 16 16 16
16 16 16 16 16 16
16 16 16 16 16 16
16 16 16 16 16 16
16 16 16 16 16 16
16 16 16 16 16 16
16 16 16 16 16 16
16 16 16 16 16 16
16 16 16 16 16 16
16 16 16 16 16 16
16 16 16 16 16 16
16 16 16 16 16 16
16 16 16 16 16 16
16 16 16 16 16 16
16 16 16 16 16 16
16 16 16 16 16 16
16 16 16 16 16 16
16 16 16 16 16 16
16 16 16 16 16 16
16 16 16 16 16 16
16 16 16 16 16 16
16 16 16 16 16 16
16 16 16 16 16 16
16 16 16 16 16 16
16 16 16 16 16 16
16 16 16 16 16 16
16 16 16 16 16 16

[] Dent R, Trudeau M, Pritchard KI, et al. Triple-negative breast cancer: clinical features and patterns of recurrence[J]. Clin Cancer Res, , (Pt):- .

[] Foulkes WD, Smith IE, Reis-Filho JS. Triple-negative breast cancer[J]. N Engl J Med, , ():- .

[] Kinne DW, Butler JA, Kimmell M, et al. Estrogen receptor protein of breast cancer in patients with positive nodes. High recurrence rates in the postmenopausal estrogen receptor-negative group[J]. Arch Surg, , ():- .

[] Pichon MF, Broet P, Magdelenat H, et al. Prognostic value of steroid receptors after long-term follow-up of operable breast cancers[J]. Br J Cancer, , ():- .

[] 16 16 D 16 16 B 16 16 16 16
16 16 16 16 16 16 16 16
, ():- .

[] Dent R, Hanna WM, Trudeau M, et al. Pattern of metastatic spread in triple-negative breast cancer[J]. Breast Cancer Res Treat, , ():- .

[] KE i ± 16 16 16 16
) 16 16 16 16 16
():- .

[] Robbins GF, Berg JW. Bilateral primary breast cancer: a prospective clinicopathological study[J]. Cancer, , : - .

[] H 0 16 16 16 16 16
D 7 S 16 16 16 16 16
n, , ():- .

[] Rakha EA, El-Sayed ME, Green AR, et al. Prognostic markers in triple-negative breast cancer[J]. Cancer, , ():- .

16 16